

## Re-calculated ACFG factors for the 2008-2009 gas year

Gas gate code	Gas type	Calculation method	ACFG factor	Adjusted ACFG factor	Adjustment method
ASH34301	GN	NORMAL	0.9704	0.985	FLOOR
BEL24510	GN	NORMAL	1.0299		
CAM17201	GN	NORMAL	1.0110		
DAN05001	GN	NORMAL	1.0022		
DRU15101	GN	NORMAL	0.9447	0.985	FLOOR
DRU15102	GN	NORMAL	1.0123		
EGC30701	GN	NORMAL	0.9946		
EGC30702	GN	NORMAL	0.4131	0.985	FLOOR
ELM12301	GN	NORMAL	1.0020		
FLD03001	GN	NORMAL	1.0268		
FLH21901	GN	NORMAL	0.3847	0.985	FLOOR
FOX22101	GN	NORMAL	1.0056		
GIS07810	GN	NORMAL	1.0230		
GMM08001	ND	NORMAL	1.0020		
GTA03610	ND	NORMAL	1.0223		
GTH11301	ND	NORMAL	1.0328		
GTK19101	ND	NORMAL	1.0206		
GTT07701	ND	NORMAL	1.0189		
GTW06910	ND	NORMAL	1.0308		
GTW33901	ND	NORMAL	1.0452	1.035	CAP
HAR11801	GN	NORMAL	0.9955		
HRU16101	GN	NORMAL	0.9867		
HST05210	GN	NORMAL	1.0183		
HTL16601	GN	NORMAL	1.0101		
HUN15301	GN	NORMAL	1.0086		
HWA20801	GN	NORMAL	0.9938		
IGW11901	GN	NORMAL	0.9772	0.985	FLOOR
KAP12901	GN	NORMAL	1.0022		
KAW04405	GN	NORMAL	1.0058		
KIG16801	GN	NORMAL	0.9580	0.985	FLOOR
KIN02601	GN	NORMAL	0.9668	0.985	FLOOR
KIW34202	GN	AVG	1.0205		
KKI23701	GN	AVG	1.0205		
KPA12401	GN	NORMAL	0.3906	0.985	FLOOR
KRG24101	GN	NORMAL	0.9011	0.985	FLOOR
KUK22401	GN	NORMAL	1.0000		
LAB20201	GN	NORMAL	0.9554	0.985	FLOOR
LNB24301	GN	NORMAL	1.0464	1.035	CAP
LVN24401	GN	NORMAL	1.0399	1.035	CAP
MNA23402	GN	NORMAL	1.0666	1.035	CAP
MRV16302	GN	NORMAL	0.9696	0.985	FLOOR
MTG17301	GN	NORMAL	0.4807	0.985	FLOOR
MTN23801	GN	NORMAL	1.0188		
MTP20601	GN	NORMAL	1.0000		
NGW14501	GN	NORMAL	0.8553	0.985	FLOOR
NPL12101	GN	NORMAL	1.0062		
OAK18601	GN	NORMAL	1.0000		
OKA13201	GN	NORMAL	1.1176	1.035	CAP
OKS32801	GN	NORMAL	1.0000		
OKU16701	GN	NORMAL	1.0372	1.035	CAP

OPK13001	GN	NORMAL	0.9838	0.985 FLOOR
OPO32001	GN	NORMAL	0.7154	0.985 FLOOR
ORD24701	GN	NORMAL	0.9655	0.985 FLOOR
OTA22601	GN	NORMAL	1.0468	1.035 CAP
OTO14101	GN	NORMAL	1.0367	1.035 CAP
PAE23001	GN	NORMAL	1.0534	1.035 CAP
PAH23101	GN	AVG	1.0205	
PAP06603	GN	NORMAL	1.0000	
PAU20101	GN	NORMAL	1.0920	1.035 CAP
PGH15901	GN	NORMAL	0.0122	0.985 FLOOR
PGU13101	GN	NORMAL	1.0000	
PHT04901	GN	NORMAL	0.9930	
PIR31101	GN	NORMAL	0.7936	0.985 FLOOR
PLN24201	GN	NORMAL	1.0086	
PTA20901	GN	NORMAL	1.0168	
PTR32601	GN	NORMAL	0.9954	
PUK04201	GN	NORMAL	0.9928	
RAM15201	GN	NORMAL	1.0815	1.035 CAP
ROT08101	GN	NORMAL	1.0438	1.035 CAP
RPR30801	GN	NORMAL	1.0167	
STR10201	GN	NORMAL	0.9789	0.985 FLOOR
TAU07001	GN	NORMAL	1.0228	
THO22701	GN	NORMAL	1.0000	
TIR33502	GN	NORMAL	0.9053	0.985 FLOOR
TKN17001	GN	NORMAL	1.0178	
TKP05101	GD	NORMAL	0.9643	0.985 FLOOR
TKR19701	GN	NORMAL	0.9886	
TKS17401	GN	NORMAL	0.9917	
TPK33301	GN	NORMAL	1.0017	
TTK30601	GN	NORMAL	1.0038	
TUK06501	GN	NORMAL	0.9915	
TWA35610	GN	NORMAL	1.0531	1.035 CAP
WAG21501	GN	NORMAL	1.0462	1.035 CAP
WAK22801	GN	NORMAL	1.0326	
WEL18301	GN	NORMAL	1.0000	
WHG07501	GN	NORMAL	1.0465	1.035 CAP
WHK32101	GN	NORMAL	0.9737	0.985 FLOOR
WRK18901	GN	NORMAL	1.0131	
WTA16501	GN	NORMAL	1.0053	
WTR12001	GN	NORMAL	1.0877	1.035 CAP
WTT20301	GN	NORMAL	0.9943	
WVY23601	GN	NORMAL	1.0000	

## Notes

Substantially incomplete consumption data - national AUFG (AVG) applied: rule 79.2.3  
Substantially incomplete consumption data - national AUFG (AVG) applied: rule 79.2.3

Unmetered

Unmetered

Unmetered

Unmetered

Substantially incomplete consumption data - national AUFG (AVG) applied: rule 79.2.3  
Unmetered

Unmetered

Unmetered

Unmetered

Unmetered